



Retail Pricing
Pricing subject to change without notice.

Display - LED/LCD

Model	Description
86UL3G-B	86" UHD, 3HDMI, 1 RS232, 1 USB, Speaker, Stand, Viewing angle 178/178 NTSC, TM240Hz, Full IP Control thru network (including WOL*), DPM(Display Power Management) ,Crestron Connected, , webOS 4.1
75UL3G-B	75" UHD, 3HDMI, 1 RS232, 1 USB, Speaker, Stand, Viewing angle 178/178 NTSC, Refresh rate 120Hz, Full IP Control thru network (including WOL*), DPM(Display Power Management) ,Crestron Connected, Portrait, webOS 4.1

Commercial - Commercial Light Signage

Model	Description
55UT640S0UA	55UT640S -Screen Size (diagonal): 55" -Resolution: 3840 x 2160 -Brightness: 360 nits -Speaker (Sound Output): 10W + 10W -Front Color: Ceramic Black -VESA Compatible: 300 x 300 -Warranty: 3 Year Parts and Labor -UPC: 7 19192 63319 3
55US340C0UD	55US340C -Screen Size (diagonal): 55" -Resolution: 3840 x 2160 (UHD) -Brightness: 400 nits -Warranty: Non Wi-Fi Model -Panel Type: IPS -Aspect Ratio: 16x9 -Contrast Ratio: 1200:1 -Response Time (G to G): 8ms -Input Connections: HDMI 2.0, HDMI 1.4 (x2), RS-232, AV In (3.5mm), RJ45, RF-In (Tuner), USB 2.0 -Built-in Speakers: 10W + 10W
43UT640S0UA	43UT640S -Screen Size (diagonal): 43" -Resolution: 3840 x 2160 -Brightness: 270 nits -Speaker (Sound Output): 10W + 10W -Front Color: Ceramic Black -VESA Compatible: 200 x 200 -Warranty: 3 Year Parts and Labor
43US340C0UD	43US340C -Screen Size (diagonal): 43" -Resolution: 3840 x 2160 (UHD) -Brightness: 300 nits -Warranty: Non Wi-Fi Model -Panel Type: IPS -Aspect Ratio: 16x9 -Contrast Ratio: 1200:1 -Response Time (G to G): 8ms -Input Connections: HDMI 2.0, HDMI 1.4 (x2), RS-232, AV In (3.5mm), RJ45, RF-In (Tuner), USB 2.0 -Built-in Speakers: 10W + 10W

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
49UT640S0UA	49UT640S -Screen Size (diagonal): 49" -Resolution: 3840 x 2160 -Brightness: 360 nits -Speaker (Sound Output): 10W + 10W -Front Color: Ceramic Black -VESA Compatible: 300 x 300 -Warranty: 3 Year Parts and Labor
65UT640S0UA	65UT640S -Screen Size (diagonal): 65" -Resolution: 3840 x 2160 -Brightness: 360 nits -Speaker (Sound Output): 10W + 10W -Front Color: Ceramic Black -VESA Compatible: 300 x 300 -Warranty: 3 Year Parts and Labor -UPC: 7 19192 63320 9
75UT640S0UA	75UT640S -Screen Size (diagonal): 75" -Resolution: 3840 x 2160 -Brightness: 315 nits -Speaker (Sound Output): 10W + 10W -Front Color: Dark Meteo Titan -VESA Compatible: 600 x 400 -Warranty: 3 Year Parts and Labor -UPC: 7 19192 63321 6
75US340C0UD	75US340C -Screen Size (diagonal): 75" -Resolution: 3840 x 2160 (UHD) -Brightness: 350 nits -Warranty: Non Wi-Fi Model -Panel Type: IPS -Aspect Ratio: 16x9 -Contrast Ratio: 1400:1 -Response Time (G to G): 8ms -Input Connections: HDMI 2.0, HDMI 1.4 (x2), RS-232, AV In (3.5mm), RJ45, RF-In (Tuner), USB 2.0 -Built-in Speakers: 10W + 10W
75US340C2UD **NEW**	75" UHD, 3HDMI, 1 RS232, 1 USB, Speaker, Stand, Viewing angle 178/178 NTSC, Refresh rate 120Hz, Full IP Control thru network (including WOL*), DPM(Display Power Management), Crestron Connected, Non Wi-Fi
86UT640S0UA	86UT640S -Screen Size (diagonal): 86" -Resolution: 3840 x 2160 -Brightness: 315 nits -Speaker (Sound Output): 10W + 10W -Front Color: Dark Meteo Titan -VESA Compatible: 600 x 400 -Warranty: 3 Year Parts and Labor -UPC: 7 19192 63322 3

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
86US340C0UD	86US340C -Screen Size (diagonal): 86" -Resolution: 3840 x 2160 (UHD) -Brightness: 350 nits -Warranty: Non Wi-Fi Model -Panel Type: IPS -Aspect Ratio: 16x9 -Contrast Ratio: 1200:1 -Response Time (G to G): 5ms -Input Connections: HDMI 2.0, HDMI 1.4 (x2), RS-232, AV In (3.5mm), RJ45, RF-In (Tuner), USB 2.0 -Built-in Speakers: 10W + 10W
50US340C0UD	50US340C -Screen Size (diagonal): 50" -Resolution: 3840 x 2160 (UHD) -Brightness: 400 nits -Warranty: Non Wi-Fi Model -Panel Type: LCD -Aspect Ratio: 16x9 -Contrast Ratio: 5000:1 -Response Time (G to G): 9.5ms -Input Connections: HDMI 2.0, HDMI 1.4 (x2), RS-232, AV In (3.5mm), RJ45, RF-In (Tuner), USB 2.0 -Built-in Speakers: 10W + 10W
32LT340CBUB	32LT340CBUB -Screen Size (diagonal): 32" -Resolution: 1366 x 768 -Brightness: 240 nits -Speaker (Sound Output): 5W + 5W -Front Color: Ceramic Black -VESA Compatible: 200 x 200 -Warranty: Two-Year Limited Warranty

Commercial - FHD

Model	Description
55SH7DB-M	55SH7DB-M -Screen Size (diagonal): 55" -Resolution: 1920 x 1080 -Brightness: 700 nits -Warranty: 3 Year Limited Warranty -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1300:1 -Response Time (G to G): 8 ms -Input Connections: HDMI, DP, DVI-D, USB
22SM3G-B	22SM3G-B -Screen Size (diagonal): 21.5" -Resolution: 1920 x 1080 -Brightness: 250 nits -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1000:1 -Response Time (G to G): 14 ms -Input Connections: HDMI (2), USB 2.0 Type A, Audio In -Daily Operation: 16 / 7 -Lifetime: 30,000 hours

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Commercial - High Brightness

Model	Description
75XE3C-B	75XE3C -Screen Size (diagonal): 75" -Resolution: 3840 x 2160 (UHD) M+ (WRGB) -Brightness: 3000 nits -Panel Type: IPS -Aspect Ratio: 16:9 -Response Time (G to G): 8 ms -Input Connections: HDMI, DP, DVI-D, Audio In, USB 3.0, SD Card
75XS2E-B	HDMI(2), DP, DVI-D, Audio, USB, SD Card, DP, External Speaker (L/R), RS232C In/out, RJ45 In, IR Receiver In, 50,000 Hrs, Landscape and Portrait
75XS4G-B	HDMI(2), DP, USB2.0 Type A (1), RS232C IN/out, RJ45(LAN)In/Out, IR IN, External Speaker Out L/R, Bezel Width -Even bezel : 13.8mm, Internal Memory 16GB, Built in Wi-Fi, Temperature Sensor, Auto Brightness sensor, Acceleration(Gyro) Sensor, webOS4.1, Multi-screen PIP/PBP(2), Screen Share, Video Tag(4), Play via URL, Screen Rotation, External Input Rotation, 24/7/50,000 Hrs life time, Operation Temperature - 0 C to 40C , Operation Humidity -10 % to 80 %, Power Supply AC 100-240V~, 50/60Hz,
86XE3FS-B	86" FHD M+, Out-door set, 3,000 nit, 1 HDMI, 1 DP, 1 DVI, 1 RS232, 1 RJ-45, 1 USB 3.0, SD Card, Portrait ONLY, 24 hours/7days
49XS4F-B	49XS4F -Screen Size (diagonal): 49" -Resolution: 1920 x 1080 (FHD) -Brightness: 4000 nits -Warranty: 3 Year Limited Warranty -Panel Type: IPS, M+ (WRGB) -Aspect Ratio: 16:9 -Contrast Ratio: 1000:1 -Input Connections: HDMI(2), DP, DVI-D, Audio, USB
49XS4J-B **NEW**	49" FHD, HDMI(2), DP, RS232C In/Out, RJ45 In, IR In, USB(1), External Speaker out, 1920x1080 (FHD), Operation Hours (Hours/Day)24/7, Life time 50,000 Hrs (Typ), Portrait / Landscape, Internal Memory 16GB, Built-in Wi-Fi, Temperature Sensor, Auto Brightness sensor, Acceleration(Gyro) Sensor, Local Key Operation, FAN, webOS4.1, Embedded CMS, USB Plug & Play, Fail over, Background Image, Sync Mode, Multi-screen PIP/PBP, Screen Share, Video Tag, Play via URL, Screen Rotation- External Input Rotation, Gapless Playback, Tile
55XE4F-M	55XE4F -Screen Size (diagonal): 55" -Resolution: 1920 x 1080 -Brightness: 3200 nits -Warranty: 3 Year Limited -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1200:1 -Response Time (G to G): 8 ms -Input Connections: HDMI, DP, RGB, USB
55XF3E-B	55XF3E -Screen Size (diagonal): 55" -Resolution: 1920 x 1080 (FHD) -Brightness: 3000 nits -Warranty: 3 Year Conditional Limited 3 Year Limited -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1000:1 -Input Connections: HDMI(2), DP, DVI-D, Audio, USB

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
55XS2E-B	55XS2E -Screen Size (diagonal): 55" -Resolution: 1920 x 1080 (FHD) -Brightness: 2500 nits -Warranty: 3 Year Parts & Labor -Panel Type: IPS, M+ (WRGB) -Aspect Ratio: 16:9 -Contrast Ratio: 1000:1 -Input Connections: HDMI(2), DP, DVI-D, Audio, USB
55XS4F-B	55XS4F -Screen Size (diagonal): 55" -Resolution: 1920 x 1080 (FHD) -Brightness: 4000 nits -Warranty: 3 Year Limited Warranty -Panel Type: IPS, M+ (WRGB) -Aspect Ratio: 16:9 -Contrast Ratio: 1000:1 -Input Connections: HDMI(2), DP, DVI-D, Audio, USB
55XS4J-B **NEW**	55" FHD, HDMI(2), DP, RS232C In/Out, RJ45 In, IR In, USB(1), External Speaker out, 1920x1080 (FHD), Life time 50,000 Hrs (Typ), Operation Hours (Hours/Day) 24/7, Rotation Portrait / Landscape, lay, Fail over, Background Image, Sync Mode, Multi-screen PIP/PBP, Screen Share, Video Tag, Play via URL, Screen Rotation, External Input Rotation, Gapless Playback, Tile Mode Setting, Setting Data Cloning, SNMP, ISM Method, Auto Set ID, Status Mailing, Control Manager, Smart Energy Saving, PM mode, Wake on LAN, Network Ready, Beaco
49XEB3E-B	49XEB3E -Screen Size (diagonal): 49" -Resolution: 1920 x 1080 (FHD) M+ (WRGB) -Brightness: 3000 nits -Panel Type: IPS -Aspect Ratio: 16:9 -Response Time (G to G): 8 ms -Input Connections: HDMI, DP, DVI-D, Audio In, USB 3.0
49XE4F-M	49XE4F -Screen Size (diagonal): 49" -Resolution: 1920 x 1080 -Brightness: 3200 nits -Warranty: 3 Year Limited -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1300:1 -Response Time (G to G): 8 ms -Input Connections: HDMI, DP, RGB, USB

Commercial - OLED

Model	Description
55EF5F-P	55EF5F -Screen Size (diagonal): 55" -Resolution: 1920 x 1080 (FHD) -Brightness: 400 nits -Warranty: 3 Year Limited Warranty -Panel Type: OLED -Aspect Ratio: 16:9 -Contrast Ratio: 150000:1 -Input Connections: HDMI, DP, USB 2.0 (2)
55EF5G-P	HDMI, DP, USB 2.0 (2), RS232C In/out, RJ45 In/out, IR In
55EF5G-L	HDMI, DP, USB 2.0 (2), RS232C In/out, RJ45 In/out, IR In

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
55EW5F-A	55EW5F -Screen Size (diagonal): 55" -Resolution: 1920 x 1080 -Brightness: 400 nits -Warranty: 3 Year Limited Warranty -Panel Type: OLED -Aspect Ratio: 16:9 -Response Time (G to G): 1 ms -Input Connections: HDMI, DP, USB (2)
55EW5G-A	Transparent55" FHD, OLED, 1 HDMI, DP, 1 RS232, USB 2.0/ USB 3.0 (OLED Wallpaper)
55EW5G-V **NEW**	55" Transparent FHD OLED, HDMI(2),DP,RS232C IN/Out,RJ45 In/Out, IR In, USB(2), DP, Audio Out, Protection Glass Depth 3.0mm, Chemical strengthening, Ani-reflective(film), Shatter Proof, Internal Memory 16 GB, Temperature Sensor, Web OS4.0, Embedded CMS,USB Plug & Play,Fail over,RS-232C Sync,Local Network Sync,Video Tag,Screen Rotation,External Input Rotation,Gapless Playback,Tile Mode Setting,Setting Data Cloning,SNMP,ISM Method,Auto Set ID,Status Mailing,Control Manager,Crestron Inside,PM mode,W
55EW5TF-A	55EW5TF -Screen Size (diagonal): 55" -Resolution: 1920 x 1080 (FHD) -Brightness: 400 nits -Warranty: 3 Year Parts & Labor -Panel Type: Transparent OLED Touchscreen -Aspect Ratio: 16:9 -Contrast Ratio: 150000:1 -Response Time (G to G): 1 ms -Input Connections: HDMI, DisplayPort, USB 2.0
55EJ5G-B	55EJ5G -Brightness(Typ.): 400 cd/m ² (APL 25%) -Bezel: 0.9 mm (Even, Off bezel) -Depth: 4.9mm (Head) -Interface: HDMI/ USB 2.0(2)/ DP/ Audio Out/ RS232C/ RJ45/ IR

Commercial - Other Signage Products

Model	Description
WP400	WP400 -Operating System: webOS 4.0 -Beacon: Supported -Inputs: HDMI (2), DP, USB 2.0 (2) -Outputs: HDMI, DP (Daisy Chain Only) -External Control: RS232C In/out, RJ45 In, IR In -Content Management: SuperSign CMS -Control and Monitoring: SuperSign Control / Control+ -UHD Playback: Supported -Multiple Video Playback: Supported -Play Video Via URL: Supported

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Commercial - Touchscreen

Model	Description
55TC3CG-H	55TC3CG -Screen Size (diagonal): 55" -Resolution: 3840 x 2160 (UHD) -Brightness: 350 nits -Warranty: 3 Year Limited -Panel Type: IPS Capacitive Touch -Aspect Ratio: 16x9 -Contrast Ratio: 1100:1 -Input Connections: HDMI (x2), DP, RS-232, RJ45, IR-In, USB 2.0
43TA3E-B	43TA3E -Screen Size (diagonal): 43" -Resolution: 1920 x 1080 (FHD) -Brightness: 450 nits -Panel Type: IPS -Aspect Ratio: 16:9 -Response Time (G to G): 12 ms -Input Connections: HDMI (2), DP, DVI-D, RGB, Audio In, USB 3.0
65TR3BF-B	65TR3BF -Screen Size (diagonal): 65" -Resolution: 3840 x 2160 -Brightness: 300 nits -Warranty: 3 Year Limited Warranty -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1200:1 -Response Time (G to G): 9 ms -Input Connections: HDMI (3), RGB / Audio In
65TR3DJ-B	65" UHD, IPS Panel, Anti Glare, 7H(Mohs) surface treatment(Haze), 8ms (G to G) response time, 30,000 Hrs of life time, 16/7(hours/day) operation hours, Landscape, HDMI(3), USB- USB3.0 Type A(3) & USB2.0 Type A(3) , RGB, Android 8.0, Audio In/out,RS232C IN, RJ45(LAN) IN, Touch USB(2), Handle, VESATM Standard Mount Interface, Internal Memory 16(GB), Built in WIFI, Power indicator, Local Key operation, Android 8.0, Screen Share, Operation temp 0 C to 40 C, Operation Humidity 10% to 80%, OPS typ
75TR3BF-B	75TR3BF -Screen Size (diagonal): 75" -Resolution: 3840 x 2160 -Brightness: 280 nits -Warranty: 3 Year Limited Warranty -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 6000:1 -Response Time (G to G): 8 ms -Input Connections: HDMI (3), RGB / Audio In
75TR3DJ-B	65" UHD, IPS Panel, Anti Glare, 7H(Mohs) surface treatment(Haze), 8ms (G to G) response time, 30,000 Hrs of life time, 16/7(hours/day) operation hours, Landscape, HDMI(3), USB- USB3.0 Type A(3) & USB2.0 Type A(3) , RGB, Android 8.0, Audio In/out,RS232C IN, RJ45(LAN) IN, Touch USB(2), Handle, VESATM Standard Mount Interface, Internal Memory 16(GB), Built in WIFI, Power indicator, Local Key operation, Android 8.0, Screen Share, Operation temp 0 C to 40 C, Operation Humidity 10% to 80%, OPS typ

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
86TR3BF-B	86TR3BF -Screen Size (diagonal): 86" -Resolution: 3840 x 2160 -Brightness: 280 nits -Warranty: 3 Year Limited Warranty -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 6000:1 -Response Time (G to G): 8 ms -Input Connections: HDMI (3), RGB / Audio In
86TR3DJ-B	65" UHD, IPS Panel, Anti Glare, 7H(Mohs) surface treatment(Haze), 8ms (G to G) response time, 30,000 Hrs of life time, 16/7(hours/day) operation hours, Landscape, HDMI(3), USB- USB3.0 Type A(3) & USB2.0 Type A(3) , RGB, Android 8.0, Audio In/out,RS232C IN, RJ45(LAN) IN, Touch USB(2), Handle, VESATM Standard Mount Interface, Internal Memory 16(GB), Built in WIFI, Power indicator, Local Key operation, Android 8.0, Screen Share, Operation temp 0 C to 40 C, Operation Humidity 10% to 80%, OPS typ

Commercial - UHD

Model	Description
55UH5E-B	55UH5E -Screen Size (diagonal): 55" -Resolution: 3840 x 2160 -Brightness: 500 nits -Warranty: 3 Year Limited Warranty -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1100:1 -Response Time (G to G): 8 ms -Input Connections: HDMI, DP, DVI-D, USB
55UH7F-B	55UH7F -Screen Size (diagonal): 55" -Resolution: 3840 x 2160 (UHD, RGB) -Brightness: 700 nits -Warranty: 3 Year Limited Warranty -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1100:1 -Response Time (G to G): 8 ms -Input Connections: HDMI (3), DP, DVI-D, Audio, USB 2.0
43UH5F-H	43UH5F -Screen Size (diagonal): 43" -28% Haze - HDMI (3) - USB 2.0 (2) - Builtin Speaker, 24/7, (50,00 hrs) -Landscape and Portrait, Viewing Angle (178 x 178) -Auto Brightness Sensor
43UL3G-B	43UH5F -Screen Size (diagonal): 43" -28% Haze - HDMI (3) - USB 2.0 (2) - Builtin Speaker, 24/7, (50,00 hrs) -Landscape and Portrait, Viewing Angle (178 x 178) -Auto Brightness Sensor

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
49UH7F-B	49UH7F -Screen Size (diagonal): 49" -Resolution: 3840 x 2160 (UHD, RGB) -Brightness: 700 nits -Warranty: 3 Year Limited Warranty -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1100:1 -Response Time (G to G): 8 ms -Input Connections: HDMI (3), DP, DVI-D, Audio, USB 2.0
49UH7F-H	49UH7F -Screen Size (diagonal): 49" -Resolution: 3840 x 2160 (UHD, RGB) -Brightness: 700 nits -Warranty: 3 Year Limited Warranty -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1100:1 -Response Time (G to G): 8 ms -Input Connections: HDMI (3), DP, DVI-D, Audio, USB 2.0
65UH7F-B	65UH7F -Screen Size (diagonal): 65" -Resolution: 3840 x 2160 (UHD, RGB) -Brightness: 700 nits -Warranty: 3 Year Limited Warranty -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1100:1 -Response Time (G to G): 8 ms -Input Connections: HDMI (3), DP, DVI-D, Audio, USB 2.0
75UH5F-H	75UH5F -Screen Size (diagonal): 75" -28% Haze - HDMI (3) - USB 2.0 (2) - Builtin Speaker, 24/7, (50,00 hrs) -Landscape and Portrait, Viewing Angle (178 x 178) -Auto Brightness Sensor
86UH5F-H	86UH5F -Screen Size (diagonal): 86" -28% Haze - HDMI (3) - USB 2.0 (2) - Builtin Speaker, 24/7, (50,00 hrs) -Landscape and Portrait, Viewing Angle (178 x 178) -Auto Brightness Sensor
98UM3E-B	Web OS, HDMI, Display Port, DVI-D, RGB
98UH5F-H	98UH5F -Screen Size (diagonal): 98" -Resolution: 3840 x 2160 -Brightness: 500 nits -Warranty: 3 Year Limited Warranty -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1300:1 -Response Time (G to G): 8 ms -Input Connections: HDMI (3), DP, DVI-D, Audio, USB 2.0 (2)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
98UM3DG-H	98" UHD, HDMI(3), USB 2.0 IN, RS-232C IN, RS-232C Out, Audio, LAN, IR & Light Sensor, Web OS 4.1, built-in Speaker, Wireless access point, LAND&PORTRAIT support.
50UL3G-B	50UL3G -Screen Size (diagonal): 50" -Resolution: 3840 x 2160 (4K UHD) -Brightness: 350 nits -Warranty: 3 Year Parts & Labor -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1400:1 -Response Time (G to G): 5 ms -Input Connections: HDMI (x3), USB 2.0 (x2)
55UL3G-B	55UL3G -Screen Size (diagonal): 55" -Resolution: 3840 x 2160 (4K UHD) -Brightness: 350 nits -Warranty: 3 Year Parts & Labor -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1400:1 -Response Time (G to G): 5 ms -Input Connections: HDMI (x3), USB 2.0 (x2)

Commercial - Ultra Stretch

Model	Description
86BH5F-B **NEW**	86" UHD Ultra stretch, 500 nit, HDMI(3), DP, DVI-D, USB2.0(2), Audio In,RS232C IN,RJ45(LAN),IR IN,DP Out,Audio Out,RS232C OUT,RJ45(LAN),Wi-Fi,webOS 4.0 (SCAP : not support),Embedded CMS,USB Plug & Play,Background Image,PBP,Screen Rotation,External Input Rotation,Beacon,HDMI-CEC ,SuperSign Control / Control+,SuperSign WB,SuperSign Media Editor,Signage 365 Care,50,000Hrs (Typ.),24/7
88BH7F-B	88BH7F -Screen Size (diagonal): 88" -Resolution: 3840 x 1080 -Brightness: 700 nits -Warranty: 3 Year Limited Warranty -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1100:1 -Response Time (G to G): 8 ms -Input Connections: HDMI (3), DP, DVI-D, Audio, USB 2.0 (2)
88BH7G-B **NEW**	88" UHD Ultra stretch, 700nit, Web OS, HDMI (3), USB(2), Display Port(1), DVI-D(1), Audio In(1), RS232C IN,RJ45(LAN),IR IN,DP Out,Audio Out,RS232C OUT,RJ45(LAN), Builit in WIFI, Web OS 4.0,Embedded CMS, USB Plug & Play,Background Image,RS-232C Sync,Local Network Sync,PBP(4),Video Tag(4),Screen Rotation,External Input Rotation,Gapless Playback,Beacon,HDMI-CEC ,SI Server Setting,webRTC,Pro:Idiom,Operation Hours (Hours/Day) 24/7

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Commercial - Video Walls

Model	Description
55SVH7F-A	55SVH7F-A -Screen Size (diagonal): 55" -Resolution: 1920 x 1080 (FHD) -Brightness: 700 nits -Panel Type: IPS RGB -Aspect Ratio: 16:9 -Contrast Ratio: 1200:1 -Response Time (G to G): 8 ms -Input Connections: HDMI (2), DP, DVI-D, Audio, USB
55SVH7FW-4P	2x2 55SVH7F-A w/ Peerless mount
55SVH7FW-9P	3x3 55SVH7F w/ Peerless mount
55SVM5F-H	55SVM5F -Screen Size (diagonal): 55" -Resolution: 1920 x 1080 (FHD) -Brightness: 500 nits -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1100:1 -Response Time (G to G): 8 ms -Input Connections: HDMI(2), DP, DVI-D, Audio, USB 2.0
55SVM5FW-4P **NEW**	Peerless Mount SKU : DS-VW775
55SVM5FW-9P **NEW**	Peerless Mount SKU : DS-VW775
55SVM5FW-4C **NEW**	2x2 55SVM5F-H bundle with Crimson mount
55SVM5FW-9C **NEW**	3x3 55SVM5F-H bundle with Crimson mount
55SVH7PF-H	HDMI (2), DP, DVI-D, RGB, Audio, USB 2.0, RS232C In/out, RJ45 In/out, IR In, 24 Hrs, Bezel to Bezel .88mm, Internal Memory 8GB (System 4GB, Available 4GB), Temperature Sensor, Tile Mode (Up to 15x15), Natural Mode @Tile Mode, ISM Method, DPM Select, Smart Energy Saving, Contents Scheduling(USB, Inte
49VL5G-A **NEW**	HDMI,DP,DVI-D,Audio In,RS232C IN,RJ45(LAN),IR IN,USB,DP Out,Audio Out,RS232C OUT,Temperature Sensor,Local Contents Scheduling,USB Plug & Play,Fail over,Booting Logo Image,No Signal Image,RS-232C Sync,Screen Rotation,Tile Mode Setting,Setting Data Cloning,SNMP,ISM Method,Auto Set ID,Creston Inside,Smart Energy Saving,PM mode,Wake on LAN,HDMI-CEC ,SI Server Setting,SuperSign CMS,SuperSign Control / Control+,SuperSign WB,SuperSign Media Editor,Signage 365 Care, Portrait / Landscape, Operation Hour
49VL5GAW-4P **NEW**	Peerless Mount SKU : DS-VW775
49VL5GAW-9P **NEW**	Peerless Mount SKU : DS-VW775
49VL5GAW-4C **NEW**	2x2 49VL5G-A bundle with Crimson mount
49VL5GAW-9C **NEW**	3x3 49VL5G-A bundle with Crimson mount

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
55VH7E-A	55VH7E -Screen Size (diagonal): 55" -Resolution: 1920 x 1080 -Brightness: 700 nits -Warranty: 3 Year Limited Warranty -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1200:1 -Response Time (G to G): 8 ms -Input Connections: HDMI (2), DP, DVI-D, Audio, USB 2.0
55VH7EAW-4P	Peerless Mount SKU : DS-VW775
55VH7EAW-9P	Peerless Mount SKU : DS-VW775
55VH7EW-4C	2X2 55VH7E-A bundle with Crimson mount
55VH7EW-9C	3x3 55VH7E-A bundle with Crimson mount
55VL5F-A	55VL5F -Screen Size (diagonal): 55" -Resolution: 1920 x 1080 -Brightness: 500 nits -Warranty: 3 Year Limited Warranty -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1200:1 -Response Time (G to G): 8 ms -Input Connections: HDMI(x2), DP, DVI-D, Audio, USB 2.0
55VL5FAW-4P	Peerless Mount SKU : DS-VW775
55VL5FAW-9P	Peerless Mount SKU : DS-VW775
55VM5E-A	55VM5E -Screen Size (diagonal): 55" -Resolution: 1920 x 1080 -Brightness: 500 nits -Warranty: 3 Year Limited Warranty -Panel Type: IPS -Aspect Ratio: 16:9 -Contrast Ratio: 1200:1 -Response Time (G to G): 8 ms -Input Connections: HDMI (2), DP, DVI-D, Audio, USB 2.0
55VM5EW-4P	Peerless Mount SKU : DS-VW775
55VM5EW-9P	Peerless Mount SKU : DS-VW775
55VM5EW-4C	2X2 55VM5EA bundle with Crimson mount
55VM5EW-9C	4x4 55VM5EA bundle with Crimson mount
49VM5EW-4P	Peerless Mount SKU : DS-VW775
49VM5EW-9P	Peerless Mount SKU : DS-VW775
49VL5FW-4P	Peerless Mount SKU : DS-VW775

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
49VL5FW-9P	Peerless Mount SKU : DS-VW775
49VL5FW-4C	2X2 49VL5FA bundle with Crimson mount
49VL5FW-9C	3X3 49VL5FA bundle with Crimson mount

DvLED - LED All in One

Model	Description
LAA015F130	DVLED Premium 1.5 mm pitch FHD, contrast ratio 5,000, processing depth : 16 bit (HDR10), bundles consists of 1 ea LAA015FL7B3, 8 ea LAA015FL7B3, 1ea ACC-LAASF15 (Standard 2 year warranty & 5% Spare part)
LAEB015-GN	DVLED 1.56 mm pitch FHD, contrast ratio 3,000, processing depth : 16 bit, 12 x 6 72 LDM modules, Fixed wall mount frame included , Motorized Stand - Optional Purchasing Item, Standard 2 year warranty & 5% Spare part)

IT Products - Blu

Model	Description
BP350.EUSALLF? Order SKU #BP350.EUSALLF	BP350 -BLU-RAY/DVD/CD Playback -Premium Content Providers -Built-in WiFi

IT Products - Cloud Devices

Model	Description
CK500W-3A	VMWARE AMD PRARIE FALCON GX-212JJ
CK500N-3C	LG THIN CLIENT BOX, VMWARE, AMD PRARIE FALCON GX-212JJ, 4GB DDR4, 32GB SSD, TAA
CL600N-6A	LG THIN CLIENT BOX, INTEL CELERON QUAD CORE, 4GB DDR4, 16GB eMMC, TAA
CBV42-BP	LG ZERO CLIENT BOX, TERA2321 PCOIP, BRACKET, 1920 X 1200, DISPLAY PORT USB, IPS, TAA

IT Products - Laptops

Model	Description
14T90N-R.APS7U1	14" TOUCHSCREEN W/STYLUS LG 2-in-1 GRAM LIGHTWEIGHT NOTEBOOK, WINDOWS 10PRO, CORE I7, 16GB DDR, 512 SSD, FINGERPRINT SENSOR, IPS, MIL-STD 810G
14T90P-K.APG5U1 **NEW**	14" TOUCHSCREEN WITH PEN TOUCH (Gorilla Galss 6) 2-in-1 GRAM LIGHTWEIGHT NOTEBOOK, WINDOWS 10PRO, CORE I7 16GB DDR, 512GB, FINGERPRINT SENSOR, IPS, MIL-STD 810G
14Z90N-N.APS7U1	14" LG GRAM LIGHTWEIGHT NOTEBOOK, HW TPM, WINDOWS 10PRO, CORE I7, 16GB DDR, 512 SSD, FINGERPRINT SENSOR, IPS, MIL-STD 810G
15Z90N-N.APS9U1	15" LG GRAM LIGHTWEIGHT NOTEBOOK, HW TPM, WINDOWS 10PRO, CORE I7, 16GB DDR, 1TB SSD, FINGERPRINT SENSOR, IPS, MIL-STD 810G
17Z90N-N.APS8U1	17" LG GRAM LIGHTWEIGHT NOTEBOOK,HW TPM, WINDOWS 10PRO, CORE I7, 16GB DDR, 512 SSD, FINGERPRINT SENSOR, IPS, MIL-STD810G

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
17Z90N-N.APS9U1	17" LG GRAM LIGHTWEIGHT NOTEBOOK,HW TPM, WINDOWS 10PRO, CORE I7, 16GB DDR, 1TB SSD, FINGERPRINT SENSOR, IPS, MIL-STD810G
17Z90N-N.APW9U1	17" LG GRAM LIGHTWEIGHT NOTEBOOK,HW TPM, WINDOWS 10PRO, CORE I7, 16GB DDR, 1TB SSD, FINGERPRINT SENSOR, IPS, MIL-STD810G
17Z90P-N.APS5U1	17" LG GRAM LIGHTWEIGHT NOTEBOOK,HW TPM, WINDOWS 10PRO, CORE I7, 16GB DDR, 512GB SSD, FINGERPRINT SENSOR, IPS, MIL-STD810G
17Z90P-N.APB7U1	17" LG GRAM LIGHTWEIGHT NOTEBOOK,HW TPM, WINDOWS 10PRO, CORE I7, 16GB DDR, 1TB SSD, FINGERPRINT SENSOR, IPS, MIL-STD810G
16Z90P-N.APS5U1	16" LG GRAM LIGHTWEIGHT NOTEBOOK, HW TPM, WINDOWS 10PRO, CORE I7, 16GB DDR, 512GB SSD, FINGERPRINT SENSOR, IPS,MIL-STD810G
16Z90P-N.APB7U1	16" LG GRAM LIGHTWEIGHT NOTEBOOK, HW TPM, WINDOWS 10PRO, CORE I7, 16GB DDR, 1TB SSD, FINGERPRINT SENSOR, IPS, MIL-STD810G
15Z90P-N.APS7U1	15" LG GRAM LIGHTWEIGHT NOTEBOOK, HW TPM, WINDOWS 10PRO, CORE I7, 16GB DDR, 1TB SSD, FINGERPRINT SENSOR, IPS, MIL-STD810G
15Z90P-N.APS3U1	15" LG GRAM LIGHTWEIGHT NOTEBOOK, HW TPM, WINDOWS 10PRO, CORE I5, 8GB DDR, 256GB SSD, FINGERPRINT SENSOR, IPS, MIL-STD810G
14Z90P-N.APS3U1	14" LG GRAM LIGHTWEIGHT NOTEBOOK, HW TPM, WINDOWS 10PRO, CORE I5, 8GB DDR, 256GB SSD, FINGERPRINT SENSOR, IPS, MIL-STD810G

IT Products - Medical Monitors

Model	Description
21HK512D-B	21HK512D-B -Designed Specifically for Medical Diagnostic Reading -DICOM Part 14 GSDF -Resolution 2048 x 1536 -Brightness 1000 cd/m ² (Typ) -Contrast Ratio 1400:1 -Response Time 30ms (Typ) -Tilt/Swivel/Height/Pivot Adjustable -VESA Compliant Wall Mountable -TAA Compliant -FDA 510(k) Class II (pending) -3-Year Limited Warranty (SWAP)
27HJ712C-W	27HJ712C-W -Designed Specifically for the Healthcare Professionals -UL Medical Grade Listed -DICOM part 14 -Native Display Resolution 3840 x 2160 -Contrast Ratio 1000:1 -14ms(Typ.) Response Time -Six Axis Control -Brightness Stabilization -Flicker Safe -Reader Mode -VESA™ Compliant Wall Mountable -3-Year Limited Warranty Parts/Labor/Backlight

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
27HJ713C-B	27HJ713C-B -Designed Specifically for the Healthcare Professionals -UL Medical Grade Listed -DICOM part 14 -Native Display Resolution 3840 x 2160 -Contrast Ratio 1000:1 -14ms(Typ.) Response Time -Six Axis Control -Brightness Stabilization -Flicker Safe -Reader Mode -VESA™ Compliant Wall Mountable -3-Year Limited Warranty Parts/Labor/Backlight
27HJ713S-W	27HJ713S-W -Designed Specifically for the Operating Room -UL Medical Grade Listed -DICOM part 14 -Native Display Resolution 3840 x 2160 -Contrast Ratio 1000:1 -14ms(Typ.) Response Time -Six Axis Control -Brightness Stabilization -VESA™ Compliant Wall Mountable -3-Year Limited Warranty Parts/Labor/Backlight
27HK510S-W	27HK510S-W -Designed Specifically for the Operating Room -UL Medical Grade Listed -FDA Class 2 -TAA Compliant -Native Display Resolution 1920 x 1080 -Contrast Ratio 1000:1 -14ms (Typ.) Response Time -Six Axis Control -Brightness Stabilization -VESA™ Compliant Wall Mountable -3-Year Limited Warranty Parts/Labor/Backlight
32HL512D-B	32" LG MEDICAL IPS 8MP DIAGNOSTIC MONITOR 3480X2160 DP FDA 501K (starting 2020) TAA
32HL710S-W	32" LG MEDICAL IPS 4K SURGICAL MONITOR 3480X2160 SRGB 115% DICOM14 IP35&IP32 FDA CLASS I (starting November) TAA
31HN713D-B	31" LG MEDICAL ANTI-GLARE, 3H DIGNOSTIC MONITOR 4200 X 2800 (3:2) CLASS II FDA 510K

IT Products - PC Monitors

Model	Description
43BN70U-B	43" LG MONITOR, 3840X2160, 16:9 IPS, HDR10, USB-C, TAA
22BK430H-B	21.5IN LED LCD 1920X1080 16:9 IPS
22BL450Y-B	22" LG MONITOR, 1920X1080, 16:9 IPS, DISPLAY PORT
22BL450Y-W	22" LG MONITOR, 1920X1080, 16:9 IPS, DP
24BK430H-B	23.8IN LED LCD 1920X1080 16:9 IPS
24BK550Y-I	24IN 1920X1080 16:9 IPS DP

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
24BK750Y-B	23.8IN LED LCD 1920X1080 16:9 IPS
24BL450Y-B	24" LG MONITOR, 1920X1080, 16:9 IPS, DISPLAY PORT
24BL650C-B	24" LG MONITOR, 1920X1080, 16:9 IPS, USB-C
24MB35V-W	23.8IN LED LCD 1920X1080 16:9 IPS
27BK400H-B	27IN LED LCD 1920 X 1080 16:9 IPS
27BK430H-B	27IN LED LCD 1920X1080 16:9 IPS
27BK550Y-I	27IN 1920X1080 16:9 IPS DP
27BK750Y-B	27IN LED LCD 1920X1080 16:9 IPS
27BL85U-W	27" LG MONITOR, 3840X2160, 16:9 IPS, FREESYNC, USB-C
27BL450Y-B	27" LG MONITOR, 1920X1080, 16:9 IPS, DP
27BL650C-B	27" LG MONITOR, 1920X1080, 16:9 IPS, USB-C
27BL55U-B	27" LG MONITOR, 3840X2160, 16:9 IPS, FREESYNC, DP, TAA
27BN88Q-B	27" LG MONITOR, 2560x1440, 16:9 IPS, USB-C, HDMI 2.0 (2), DISPLAY PORT, USB 3.0 (2 DOWN) ERGO STAND
32BL75U-W	32" LG MONITOR, 3840X2160, 16:9 VA, FREESYNC, USB-C
32BK50Q-WB	32" LG MONITOR, 2560X1440, 16:9 IPS, FREESYNC, DP MINIDP
32EP950-B **NEW**	32" LG OLED MONITOR, 3840 X 2160, 16:9 OLED, HDMI, DISPLAY PORT 1.4 (2), USB 3.0 (1 UP, 3 DOWN), USB Type-C

IT Products - Projectors

Model	Description
BF50NST	4K WUXGA, 5000 Ansi, Smart Laser projector, WebOS & Magic remote, HDR10, TruMotion, IP control, DICOM, HDBaseT
BF60PST **NEW**	ProBeam BF60PST 6000 lumens WUXGA laser projector, 20000 hrs, IP control, DICOM, HDBaseT, TAA Compliant
BU50NST	4K UHD, 5000 Ansi, Smart Laser projector, WebOS & Magic remote, HDR10, TruMotion, IP control, DICOM, HDBaseT
BU60PST **NEW**	ProBeam BU60PST 6000 lumens 4K UHD laser projector, 20000 hrs, TruMotion, IP control, DICOM, HDBaseT, TAA Compliant
HU85LS	4K UHD UST, 2700 Ansi, Smart Laser home cinema projector, WebOS & Magic remote, HDR10, TruMotion, IP control

IT Products - Thin Client

Model	Description
24CK550W-3A	23.8 IN LED CLOUD THIN CLIENT 1920X1080 IPS
24CK550N-3A	24IN CLOUD THIN CLIENT 1920X1080 IPS

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
24CK550Z-BP	24" LG ZERO CLIENT AIO MONITOR, TERA 2321 PCOIP, 1920 X1080, DISPLAY PORT USB, IPS, TAA
24CK560N-3A	24" LG THIN CLIENT AIO MONITOR, 1920X1080, AMD PRARIE FALCON GX 212JJ, 4GB DDR, 32GB SSD, IPS, TAA, IEC60601 Medical Certification
24CN670NK6A	24" LG Thin CLIENT AIO MONITOR 1920X1080, Intel(R) Celeron J4105, 4GB DDR4, 16GB eMMC, IPS
27CN650N-6A	27" LG THIN CLIENT AIO MONITOR, 1920X1080, INTEL CELERON QUAD CORE, 4GB DDR, 16GB SSD, IPS, TAA, HW TPM

IT Products - UHD and Ultrafine Monitors

Model	Description
27BK67U-B	27IN 3840x2160 16:9 IPS USB-C
27BN85U-B	27" LG MONITOR, 3840X2160, 16:9 IPS, HDMI 2.0 (2) USB-C
27BN88U-B	27" LG MONITOR, 3840x2160, 16:9 IPS, USB-C, HDMI 2.0 (2), DISPLAY PORT, USB 3.0 (2 DOWN) ERGO STAND
32BL95U-W	32IN 3840 X 2160 16:9 NANO IPS FREESYNC HDR10 THUNDERBOLT
32BN50U-B	32" LG MONITOR, 3840X2160, 16:9 , VA, HDMI 2.0 (2) HDR10
32BN67U-B	32" LG MONITOR, TRUE 4K 3840X2160, 16:9 IPS, HDMI 2.0 (2), DISPLAY PORT, USB 3.0 (1UP/2 DOWN)
32BN88U-B	32" LG MONITOR, TRUE 4K 3840X2160, 16:9 IPS, HDMI 2.0 (2), DISPLAY PORT, USB 3.0 (2 DOWN), USB Type-C ERGO STAND

IT Products - UltraGear Monitors

Model	Description
24GL65B-B	24" LG GAMING MONITOR, 1920 X 1080, 16:9 TN, FREESYNC, DISPLAY PORT
27GN75B-B	27" LG GAMING MONITOR, 1920 x 1080, 16:9 IPS, FREESYNC, DP
27GN95B-B	27" LG GAMING MONITOR, 3840 x2160, 16:9 NANO IPS, FREESYNC,HDMI, DP
32GK65B-B	32" LG GAMING MONITOR, 2560 X 1440, 16:9 VA, G-SYNC, DISPLAY PORT
38GN95B-B	38" LG CURVED GAMING MONITOR, 3840 X 1600, 21:9 NANO IPS, G-SYNC, DP

Starin is your Supply Partner. To place you order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

IT Products - Ultrawide Monitors

Model	Description
49BL95C-WE	49BL95C-WE -49" 32:9 UltraWide™ Dual QHD (5120x1440) IPS Display -sRGB 99% (Typ.) Color Gamut, 350nits (Typ.) Brightness -HDR 10 Support 3-Side Virtually Borderless Design -USB Type-C™ with 4K AV, Data transferring, Power Delivery (85W) -HDMI x2, Display Port x1, USB 3.0 x 4 Down -10W Built-in Stereo Speaker with Rich Bass -OnScreen Control and Dual Controller software -Ambient Light Sensor -Tilt (-5°~15°), Height (110mm), Swivel (-15~15°) Adjustable Stand -Wall Mountable(100 x 100) -One Click Stand / Edge-ArcLine Stand Design -3-Year Limited Warranty - Parts/Labor/Backlight
29BN650-B	29" LG MONITOR, 2560X1080, 21:9 IPS, HDMI, DP
34BK95U-W	34IN 5120X2160 21:9 NANO IPS HDR10 THUNDERBOLT
34BL650-B	34" LG MONITOR, 2560 x 1080, 21:9 IPS, FREESYNC, DISPLAY PORT
34BL85C-B	34" LG MONITOR, 3440X1440, 16:9 IPS, HDR10, DISPLAY PORT
34BN670-B	34" LG MONITOR, 2560X1080, 21:9 IPS, DP, HDMI
34BN770-B	34" LG MONITOR, 3440X1440, 21:9 IPS, HDMI, DP
34BN77C-B	34" LG MONITOR, CURVED 3440X1440, 21:9 IPS, HDMI, DP
34BN780-B	34" LG MONITOR, 3440X1440, 21:9 IPS, HDMI 2.0 (2), DP, USB 3.0 (1UP, 2DOWN) ERGO STAND
34CN650N-6A	34" LG THIN CLIENT AIO MONITOR, 2560X1080, INTEL CELERON QUAD CORE, 4GB DDR, 16GB SSD, IPS, TAA, HW TPM
35BN75C-B	35" LG MONITOR, 3440X1440, 21:9 VA, USB-C, DP, HDMI
38BN75C-B	38" LG MONITOR, 3840X1600, 21:9 IPS, HDMI, DP
38BN95C-W	38" LG MONITOR, 3840X1600, 21:9 NANO IPS, HDMI, DP THUNDERBOLT

Accessory - DvLED Accessory

Model	Description
ACC-LAPPC60	Remote power videowall - 60m power cable for
ACC-V-EW5F	1 Unit of Accessory : 1 x 2 configuration (Items included: Module Fixing bracket (4), vertical frame(2), rigid bar(2), horizontal frame(2)), 2 units of accessory : 2 x 2 configuration

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Accessory - DvLED Software

Model	Description
LWSMB	SuperSign CMS is a content management software solution optimized for LG webOS signage. It supports multiple displays and accounts, is able to be linked to external databases, and allows server access from mobile devices. With its simple and intuitive menus and layout options, SuperSign CMS enhances efficiency for content creation and editing, scheduling and distribution. Users can easily configure brightness and volume settings to follow a pre-determined schedule, as well as swap between schedules with the multi-channel content scheduling feature which stores content beforehand.
LWLD	LG SuperSign Control+ is a remote control and monitoring software for operating large-scale signage setups with the LG Signage webOS Box. SuperSign Control+ allows multiple administrators to access the server via the network to monitor the status of connected displays in real-time as well as adjust and control them.
LPBD	LG SuperSign Software Features -Auto Calibration: Easily adjust white balance with few changes to settings -High Accuracy: With intuitive UI, fine-tuned like the experts -Optimized for video wall: Easily perform calibration of video wall via Wizard UI
LWAEB	Easily configure an irregularly-shaped video wall with SuperSign Media Editor. Add and reshape monitor and content layout to configure an irregular-shaped video wall. When content has been assigned to a monitor where it does not fit, option to resize content, allowing configuration of video wall to desired layout. Send media configurations created in SuperSign Media Editor to a server, with server distributing to video wall through the Media Player.
LWSM10B.AUS	SuperSign CMS (Supersign W/ Premium) per PANEL: SuperSign CMS is a content management software solution optimized for LG webOS signage. It supports multiple displays and accounts, is able to be linked to external databases, and allows server access from mobile devices. With its simple and intuitive menus and layout options, SuperSign CMS enhances efficiency for content creation and editing, scheduling and distribution. Users can easily configure brightness, and volume settings to follow a pre-determined schedule, as well as swap between schedules with the multi-channel content scheduling feature which stores content beforehand.
LWSM20B.AUS	Monitor Solution SuperSign Elite_Super sign CMS connected care - 2year solution only(per panel)
LWSM30B.AUS	Monitor Solution SuperSign Elite_Super sign CMS connected care - 3 year solution only(per panel)
LWSM40B.AUS	Monitor Solution SuperSign Elite_Super sign CMS connected care - 4 year solution only(per panel)
LWSM50B.AUS	Monitor Solution SuperSign Elite_Super sign CMS connected care - 5 year solution only(per panel)
LS00E10000U	Direct View LED, 1 Year Extended Service Term, 1 Years Total Coverage
LS00E20000U	Direct View LED, 2 Years Extended Service Term, 2 Years Total Coverage
LCLS10E.AUS	Signage365Care - SI Manages the Monitoring Solution (1 year)
LCLS20E.AUS	Signage365Care - SI Manages the Monitoring Solution (2 years)
LCLS30E.AUS	Signage365Care - SI Manages the Monitoring Solution (3 years)
LCLS40E.AUS	Signage365Care - SI Manages the Monitoring Solution (4 years)
LCLS50E.AUS	Signage365Care - SI Manages the Monitoring Solution (5 years)
LCLP10E.AUS	Signage365Care - LG Manages the Monitoring Solution (1 year)
LCLP20E.AUS	Signage365Care - LG Manages the Monitoring Solution (2 years)
LCLP30E.AUS	Signage365Care - LG Manages the Monitoring Solution (3 years)
LCLP40E.AUS	Signage365Care - LG Manages the Monitoring Solution (4 years)

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz



Pricing subject to change without notice.

Model	Description
LCLP50E.AUS	Signage365Care - LG Manages the Monitoring Solution (5 years)

Accessory - Extended Service

Model	Description
PJPLE10000U	PJTR Laser UHD , 1 Year Extended Service Term, 4 Years Total Coverage
PJPLE1S100U	PJTR Laser UHD , 1 Year Extended Service Term, 4 Years Total Coverage, Quick-Swap (24 Hrs)
PJPLE20000U	PJTR Laser UHD , 2 Years Extended Service Term, 5 Years Total Coverage
PJPLE2S100U	PJTR Laser UHD , 2 Years Extended Service Term, 5 Years Total Coverage, Quick-Swap (24 Hrs)
PJPLN0S100U	PJTR Laser UHD , No Extended Service Term (3 Years Factory Limited Warranty Only), Quick-Swap (24 Hrs)

Accessory - Medical Monitor Extended Service

Model	Description
MM19E10000U	19" Medical Monitor, 1 Year Extended Service Term, 4 Years Total Coverage
MM19E1S100U	19" Medical Monitor, 1 Year Extended Service Term, 4 Years Total Coverage, Quick-Swap (24 Hrs)
MM19E20000U	19" Medical Monitor, 2 Years Extended Service Term, 5 Years Total Coverage
MM19E2S100U	19" Medical Monitor, 2 Years Extended Service Term, 5 Years Total Coverage, Quick-Swap (24 Hrs)
MM21E10000U	21" Medical Monitor, 1 Year Extended Service Term, 4 Years Total Coverage
MM21E1S100U	21" Medical Monitor, 1 Year Extended Service Term, 4 Years Total Coverage, Quick-Swap (24 Hrs)
MM21E20000U	21" Medical Monitor, 2 Years Extended Service Term, 5 Years Total Coverage
MM21E2S100U	21" Medical Monitor, 2 Years Extended Service Term, 5 Years Total Coverage, Quick-Swap (24 Hrs)
MM27E10000U	27" Medical Monitor, 1 Year Extended Service Term, 4 Years Total Coverage
MM27E1S100U	27" Medical Monitor, 1 Year Extended Service Term, 4 Years Total Coverage, Quick-Swap (24 Hrs)
MM27E20000U	27" Medical Monitor, 2 Years Extended Service Term, 5 Years Total Coverage
MM27E2S100U	27" Medical Monitor, 2 Years Extended Service Term, 5 Years Total Coverage, Quick-Swap (24 Hrs)
MM32E10000U	32" Medical Monitor, 1 Year Extended Service Term, 4 Years Total Coverage
MM32E1S100U	32" Medical Monitor, 1 Year Extended Service Term, 4 Years Total Coverage, Quick-Swap (24 Hrs)
MM32E20000U	32" Medical Monitor, 2 Years Extended Service Term, 5 Years Total Coverage
MM32E2S100U	32" Medical Monitor, 2 Years Extended Service Term, 5 Years Total Coverage, Quick-Swap (24 Hrs)

Accessory - OLED Accessory

Starin is your Supply Partner. To place your order, please go to www.starin.biz or email your PO to orders@starin.biz

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: www.starin.biz

Pricing subject to change without notice.

Model	Description
ACC-CC-EF5E	ACC-CC-EF5E -Curvature Calibrator -Optional Accessory for 55EF5E/ 55EF5F/ 55EF5G OLED Signage -Supported Curvature: Up to 1,000R(Concave/Convex) -On-site Customization

Accessory - Replacement Part

Model	Description
HOSPSTRC02	LG TV Replacement Remote

Accessory - Speakers

Model	Description
SP-2200	Speakers for LS33A/LS35A/LS55A/LS75A/LS95A
SP-5000	Optional Speakers for SE3B-B/SM5B-B
SP-5200	Optional Speakers for UH5B

Accessory - Stands

Model	Description
ACC-S-EW5F	Stand for OLED display, 2pc stand set for OLED Monitor
ST-201T	Stand for 55/49UH5
ST-322T	Stand for 32SE/SM
ST-432T	Stand for 43SE/SM
ST-491X	Stand for 49XEB3E (1 x1)
ST-492T	Stand for 49SE/SM
ST-493X	Stand for 49XEB3E (1 x3)
ST-651T	Stand for 65LS33A/65UH5
ST-652T	Stand for 55&65SE/SM
ST-653T	Stand for 43",49", 55", 65" UH5F-H
ST-750X	Stand for 75XE3C

Accessory - Video Wall

Model	Description
LPLG001-FV	External Power box for 55SVH7PF